



WASHING EQUIPMENTS

About us -

KDC Enterprise was established in the year **2009** by the experts in **Automotive Industry**. Since September 2020 KDC has been taken over by **Ve R Mobility Solutions Pvt Ltd** founded by professionals having 3 Decades experience in Automotive Industry worked with various MNC's.

Today's workshop is continuously looking for increasing productivity, enhancing efficiency and at the same time improving the quality of the services being offered. **Garage Equipment's and tools** form an integral part of this journey for excellence.

We know the workshop. We know vehicles. We know the repair and service processes. This understanding helps us to offer the latest in the workshop requirements from engine scanners to tools. This is also the reason why we offer the best brands sourced from across the world. This is also why international companies like **Sicam, Tecnotest, Werther, APAC** have appointed us as the sole after market dealers in India, and as the supplier to Indian OEM's.

Our Product Services Portfolio

Focus

Our Service solutions offerings include

- Software for workshop monitoring
- AMC and paid servicing at customer site
- Turnkey solutions for setting up of garages
- Training
- Technical Helpline


Together the portfolio of hardware + software + teach-ware help the garage workshop be it OE or independent to improve the quality of services offered and help increase revenue by increased efficiency.

We are into the **garage / workshop service business**. Our offerings line-up showcases an array of **equipment, tools, service solutions, diagnostics, servicing, training** and consultancy geared to stay ahead when it comes to servicing of any automotive vehicles.

Our equipment offerings include:

- **Wheel Service** Equipments
- **Vehicle Diagnostic** Equipments
- **Battery and Auto Electrical Service** Equipments
- **Air-Conditioning** Equipments
- **Washing** Equipments
- **Body and Crash Repair** Systems
- **Lifting** Equipments
- **Special Tools and Hand Tools**
- **Compressor, Pneumatic Tools and Pipeline**

Sales and Service Networks



Our Customers



TATA MOTORS

NEXA



Mercedes-Benz



MRF

CEAT

JK TYRE
TOTAL CONTROL

apollo



myTVS





3 PLUNGER- VMCW03

FEATURES

- Triple Plunger washers specially designed for **high pressure washing**
- **Minimum maintenance and service requirements**
- Triple Plunger washers designed for **higher mechanical efficiency and ensures** better cleaning
- Suitable for PCV & CV.

TECHNICAL DATA

Displacement (lpm)	26.3
--------------------	------

Delivery per gun (lpm)	11.5
------------------------	------

No. Of Guns	2
-------------	---

No. Of Plungers	1
-----------------	---

Operating Pressure (Bar)	22
--------------------------	----

Motor Power (Hp)	3
------------------	---

Pump Speed (rpm)	350
------------------	-----

Type of mounting	Base/Tank
------------------	-----------

Suction Type	Negative
--------------	----------

CAR WASHER



HD 6/15 KAP

TECHNICAL DATA

Supply Voltage (Phase)	1
------------------------	---

Water Flow (l/hr) Working	450-600
---------------------------	---------

Pressure (bar/Mpa)	70-150/7-15
--------------------	-------------

Connecting Load (kW)	3.4
----------------------	-----

Maximum Temperature (°C)	60
--------------------------	----

Weight (kg)	52
-------------	----

Maximum Pressure	190
------------------	-----

Dimensions (LxWxH) (mm)	700x455x1010
-------------------------	--------------

HD 7/16



TECHNICAL DATA

Supply Voltage (Phase)	3
Water Flow (l/hr) Working	400 - 700
Pressure (bar/Mpa)	70-160 / 7-16
Connecting Load (kW)	4.3
Maximum Temperature (°C)	60
Weight (kg)	55
Maximum Pressure	220
Dimensions (LxWxH) (mm)	780x360x500



STEAM CLEANERS

SG4/4

TECHNICAL DATA

Voltage (V)	220-240
Heating Capacity (W)	2300
Tank Capacity (l)	4
Steam Pressure (bar)	4
Weight	4
Without Accessories (kg)	8
Dimensions (LxWxH) (mm)	475x320x275
Order Number	1.092-104.0

PUZZI 10/1**TECHNICAL DATA**

Air Flow Rate (l/s)	54
Vacuum (mbar)	220
Spray Rate (l/min) Spray	1
Pressure (bar) Fresh/Dirty	1
Water (l) Power Rating (W)	10/9
Weight (kg) Dimensions	1250 10.7
(LxWxH) (mm)	705x320x435

CAR WASHER -ACCESSORIES

Quick Coupling Plug Nipple



HOS Nozzle Pack Kit



Membrane Filter for NT35/1



Dust Filter for NT 65/2 Ap



Screw Connector



Underbody Lance



250mm Short Lance

Underbody Lance (Rotating)
Connectors

Inna Foam Set

360° Swivel Arm Connectors
for 360° Swivel Arm

VACCUUM CLEARNER

YB30VU

TECHNICAL DATA

Capacity 30 L

Tank Capacity 30 Ltr

Material stainless Steel

Package Contains 1 x Blue Point

Usage For Professional

Color Silver, Black



VACCUUM CLEARNER

Vemobis®

EFFICIENT WET & DRY VACUUM CLEANER

Equipped with a 1600 W motor and a high volume capacity, the Vemobis **wet and dry vacuum cleaner** cleans dry and wet spillage or waste efficiently. The storage tank has a capacity of up to 30 L, enabling you to clean sufficient quantities of waste in a single cleaning session. This vacuum cleaner is also equipped with an **inbuilt heat protection system**, which lets you use it for prolonged cleaning sessions without facing overheating issues. Plus, it has a sturdy and durable construction, which withstands the rigours of daily use.

High-performance Motor

The **1600 W motor in this vacuum cleaner delivers** a stellar suction and blowing performance, making it ideal for heavy-duty applications. Plus, it can be used to clean both wet and dry waste materials.

TECHNICAL DATA

Capacity 30 L

Tank Capacity 30 Ltr

Material stainless Steel

Package Contains 1 x Vacuum Cleaner

Usage For Professional

Color Silver, Black



NT 22/1 APL

FEATURES

- Efficient **semi-automatic filter** cleaning
- Suction hose port in the **head of the machine**
- Moisture-resistant PES** cartridge filter

TECHNICAL DATA

Supply voltage Ph / V / Hz 1 / 220 – 240 / 50 – 60

Air flow 72l/s

Vacuum 249 / 24.9 mbar / kPa

Container content 22 l

Container material Plastic

Rated input power max. 1300W

Standard nominal width 35 ID

Cable length 6m

Sound pressure level 71dB(A)

Weight without accessories 5.7kg

Weight incl. packaging 8.2 kg

Dimensions (L × W × H) 380 × 370 × 480mm



NT 30/1 Me Classic

TECHNICAL DATA

Supply voltage 1 / 220 – 240 / 50 – 60 Ph / V / Hz

Air flow 59l/s

Vacuum 227 / 22.7 mbar / kPa

Container Capacity 30 l

Container material stainless steel

Rated input power max.1500W

Standard nominal width 35ID

Cable length m 6.5

Sound pressure level dB(A) 78

Weight kg8

Dimensions (L × W × H) 380 × 370 × 480mm





Air operated
GREASE PUMP
VMAGP01



Air Operated
OIL PUMP
VMAOP01

TECHNICAL DATA	Air operated Grease pump	Air operated Oil pump
Pressure ratio	50:1	3:5:1
Output at 8Kg/Cm 2 Air Pressure	320-390 Gms	8 Ltrs
Pressure Range	4-10 Kg/ Cm 2	4-10 Kg/ Cm ²
8Kg/Cm2 of Air Pressure	400 Kg/ Cm2	28 Kg/ Cm ²
Working Pressure of air	8 Kg/ Cm2	8 Kg/ Cm ²
Air equipment (FAD)	310 LPM	310 LPM
Grade of grease / Oil	All grades	All grades
Type of hose	Wire braided	Wire braided
Delivery hose length	2.2 Mtrs	3.5 Mtrs
ID of the host	6MM	6MM
Drum Capacity	10/15/25/50 Kg	205 Ltrs
Gun	Trigger Type	Trigger Type



Hand operated
GREASE PUMP
VMHGP01



TECHNICAL DATA	Hand operated Grease pump	Hand operated Oil pump
Capacity	5Kg, 10Kg, 20Kg	20 Ltrs
Pressure	20 kg/ Cm2	35 kg/Cm ²
Output	4 Gms	60 ML/ Stroke
Hose Length	2 Mtrs	

VMFT01

Capacity 80L

TECHNICAL DATA

Air Pressure	2-3 Bar
Max Pressure	3 Bar
Capacity	70/80 liters
Material	SS 201/ 304
Hose Length	5Mtrs



SINGLE POST HOIST 4

VMWL01



Features:

- Supports both **indoor & outdoor** Installation
- Slide rail arm assembly can be provided for easy mounting of vehicles on the heavy duty ramps
- Uniquely designed **wiper rings** to prevent entry of water and dirt particles into the hoist cylinder while raising, servicing and lowering.
- Gland rings are used in the **plungers** to increase performance
- High-grade steel plungers manufactured to close tolerance with hard chrome plating for high wear-resistant

TECHNICAL DATA

Lifting Capacity	4000 Kgs
No. of Plunger	1
Plunger Diameter	270 mm
Max. Lifting Height	1500 mm
Operating Pressure	09 to 12 Kg/cm2

Washing passenger & Light commercial vehicle
Lubricate passenger & Light commercial vehicle



KDC ENTERPRISE

www.kdenterprise.in
www.kdenterprise.co.in

+91 22 4010 2699 | +91 9967 015 305 | +91 9677 662 033
📞 Customer Care : +91 7738 600 222

✉️ info@kdenterprise.in | support@kdenterprise.in
kdenterprise15@gmail.com

📍 Head Office : Office No 6, Building No 11, Vijas Vilas, Vijay
Garden Road, Kavesar, Anand Nagar, G B Road, Thane (West),
Maharashtra - 400615