

A black and white photograph of a person in a full-body protective suit, hood, and respirator mask. They are holding a spray gun and applying paint to the side of a car. The car is partially covered with white protective tape. The background is a bright, industrial-looking space, likely a paint booth.

BODYSHOP EQUIPMENTS

About us —

KDC Enterprise was established in the year **2009** by the experts in **Automotive Industry**. Since September 2020 KDC has been taken over by **Ve R Mobility Solutions Pvt Ltd** founded by professionals having 3 Decades experience in Automotive Industry worked with various MNC's.

Today's workshop is continuously looking for increasing productivity, enhancing efficiency and at the same time improving the quality of the services being offered. **Garage Equipment's and tools** form an integral part of this journey for excellence.

We know the workshop. We know vehicles. We know the repair and service processes. This understanding helps us to offer the latest in the workshop requirements from engine scanners to tools. This is also the reason why we offer the best brands sourced from across the world. This is also why international companies like **Sicam, Tecnotest, Werther, APAC** have appointed us as the sole after market dealers in India, and as the supplier to Indian OEM's.

Our Product Services Portfolio

Focus

Our Service solutions offerings include

Software for workshop monitoring
AMC and paid servicing at customer site
Turnkey solutions for setting up of garages
Training
Technical Helpline


Together the portfolio of hardware + software + teach-ware help the garage workshop be it OE or independent to improve the quality of services offered and help increase revenue by increased efficiency.

We are into the **garage / workshop service business**. Our offerings line-up showcases an array of **equipment, tools, service solutions, diagnostics, servicing, training** and consultancy geared to stay ahead when it comes to servicing of any automotive vehicles.

Our equipment offerings include:

- **Wheel Service** Equipments
- **Vehicle Diagnostic** Equipments
- **Battery and Auto Electrical** Service Equipments
- **Air-Conditioning** Equipments
- **Washing** Equipments
- **Body and Crash Repair** Systems
- **Lifting** Equipments
- **Special Tools and Hand Tools**
- **Compressor, Pneumatic Tools and Pipeline**

Sales and Service Networks



Our Customers





PAINTBOOTH VMPB07

Features:

- 6.9M with Metal Base
- **Fireproof Puffing** Panel
- Twin Blower with burner.
- Metal base with Ramp
- Set of filters - **Inlet, ceiling, and floor**
- **Three doors** including **one service door**
- Tongue and groove joint for Perfect Fitment
- Stainless steel Heat Exchanger
- Precoated Walls
- Centrifugal fan for maximum air flow.

SCOPE OF DELIVERY

Metal Base, Ramp,
Diesel Stand, Inlet Motor

OPTIONAL ACCESSORIES

Exhaust Motor, Side Door,
Infrared Heating Panels



TECHNICAL DATA

Internal Dimension	6.9 X 3.9 X 2.5M
Metal Basement	330 mm
Inlet Blower Rating	7.5 HP
Burner Capacity	1,80,000 Kcal/h
Inlet Blower Capacity	22,000 m3 /h
Air Velocity Inside Chamber	0.2 m/Sec
Service Door	Available

PAINTBOOTH FILTER



Model	Ceiling Filter	Pre Filter	Floor Filter
Thickness	600gr/sqm	320gr/sqm	320gr/sqm
Air Flow Rate	20-22mm	20-22mm	70-80mm
Initial Resistance	900m³/h	1548m³/h	1548m³/h
Final Resistance	26pa	16 pa	15 pa
Medium Arrestance	400pa	200pa	250pa
Air Velocity	96.80%	83.10%	75.30%
Dust Holding	0.25m/s	0.43m/s	1.02m/s
Max Temperature	428gr/sqm	330gr/sqm	4420gr/sqm
Filtration Class	120°C	110°C	300°C
Flame Resistance	F-5 (DIN24185)	G-4 (DIN24185)	G-4 (DIN24185)
	F-1 (DIN53438)	F-1 (DIN53438)	F-1 (DIN53438)



Mini dent puller with efficient output and analog user interface.

FEATURE:

- Automatic controlled **power and time**
- Helps technicians to **remove deep damages**
- Single knob control panel
- 230V Single phase powered machine

VeD01

Analog Version with Single Gun



Power-230V



Volt-3200A

TECHNICAL DATA

Number of Modes	2 (Dent and Shrink)
Triggering	Manual
Input	230 V AC-50 Hz
Output	3500A Imax
Output KVA nominal	6 kVA
Input Cable	2.5 mm ² x3 core x 6 mtr
Output Cable +	50 mm ² x 2 mtr
Output Cable -	50 mm ² x 2 mtr
Dimensions	700 x 420 x 310 (mm)
Weight	42.5 kg(with all accessories & trolley)
Protection	IP 23

ACCESSORIES

1 Nos.



Sliding Hammer

1 Nos.



Claw Jaw Hammer

1 Set.



Suction Pad

1 Nos.



L Rod

10 Nos.



Triangle Tip

5 Nos.



Carbon Rod

1 Nos.



Carbon Rod Holder

10 Nos.



Straight Long Washer

1 Nos.



J Hook

10 Nos.



Twisted Long Washer

1 Nos.



Long Washer Holder

1 Nos.



Round Washer Holder

50 Nos.



Round Washer

1 Nos.



Allen Key

1 Nos.



Spanner



VeD02

Digital Version with Double Gun



Power-230V



Volt-3200A

FEATURE:

- User-friendly keypad
- Highly intelligent software
- Came along with secondary gun

TECHNICAL DATA

Number of Modes	2 (Dent and Shrink)
Triggering	Manual & Automatic
Input	230 V AC-50 Hz
Output	3500A I _{max}
Output KVA nominal	11.5 KVA
Input Cable	2.5 mm ² 3 core x 6 mtr
Output Cable +	70 mm ² x 2 mtr
Output Cable -	50 mm ² x 2 mtr
Dimensions	1500x720 x 600 (mm)
Weight	68 kg(with all accessories & trolley)
Protection	IP 23

ACCESSORIES

1 Nos.



Sliding Hammer

1 Nos.



Claw Jaw Hammer

1 Set.



Suction Pad

1 Nos.



L Rod

10 Nos.



Triangle Tip

5 Nos.



Carbon Rod

1 Nos.



Carbon Rod Holder

10 Nos.



Straight Long Washer

1 Nos.



J Hook

10 Nos.



Twisted Long Washer

1 Nos.



Long Washer Holder

1 Nos.



Round Washer Holder

50 Nos.



Round Washer

1 Nos.



Allen Key

1 Nos.



Spanner

2 Nos.



Wiggle Wire

1 Nos.



Wiggle Wire Tip

1 Nos.



Earth Bolt

1 Nos.



Shrinking Tip



VeD03



Power-230V



Volt-3200A

FEATURE:

- User-friendly control panel.
- Highly intelligent software
- Came along with secondary gun.
- Heavy Duty working.

TECHNICAL DATA

Number of Modes	2 (Dent and Shrink)
Triggering	Manual & Automatic
Input	230 V AC-50 Hz
Output	3500A I _{max}
Output KVA nominal	11.5 KVA
Output Voltage	7V
Input Cable	2.5 mm ² 3 core x 6 mtr
Output Cable +	70 mm ² x 2 mtr
Output Cable -	50 mm ² x 2 mtr
Dimensions	1500x720 x 600 (mm)
Weight	76 kg(with all accessories & trolley)
Protection	IP 23
Designed for	Metal panels
Packing	Wooden Palette

ACCESSORIES

1 Nos. Sliding Hammer	1 Nos. Claw Jaw Hammer	1 Set. Suction Pad	1 Nos. L Rod
10 Nos. Triangle Tip	5 Nos. Carbon Rod	1 Nos. Carbon Rod Holder	10 Nos. Straight Long Washer
1 Nos. J Hook	1 Nos. Shrinking Tip	1 Nos. Long Washer Holder	1 Nos. Round Washer Holder
1 Nos. Wiggle Wire Tip	1 Nos. Earth Bolt	2 Nos. Wiggle Wire	10 Nos. Twisted Long Washer
50 Nos. Round Washer	1 Nos. Allen Key	1 Nos. Spanner	1 Nos. Body Straightners



VMIG250



Power-440A 3Phase



Volt- 250A



800x400x600mm



KG Wgt- 70kg

Features:

- › Professional and well-proven machines
- › User-friendly designs
- › Three-phase model with 250 amp output
- › Characterized by **ease-ofoperation & unique welding performance**
- › Comes with a tray on top
- › **Auto Synchronized Weld Speed**

TECHNICAL DATA

Current	40 - 250A
Voltage Steps	7
Open Circuit Voltage	35V
Input Voltage	440V - 3 Phase
Fuse	1A
Cable Input	2.5 mm ² x 6M
Cable Earth	2.5 mm ² x 3M
Wire Coil	5-15 kg
Wire Coil Dia	300mm
Wire Feed Speed	2-15 m/min
Spot Time	0.15 - 5 Sec
Protection Class	Ip21

ACCESSORIES



Welding Torch



Flow Meter



Regulator



5kg Spool



PLASMA CUTTER

VMPC01

Grey

Features:

- › Cuts up to 10 mm steel, stainless steel and cast iron
- › Cuts up to 8 mm aluminum and copper
- › Easy to use and simple
- › Torch: 4 m with a safety trigger to avoid accidental start
- › P23 (protected against rain / dust): ideal for outside work



SPOT WELDER

VMSW01

Grey

Features:

- › Fully Automatic
- › Inbuilt transformer in plier
- › Welding current – 14500 A
- › Clamping force – 550 dAN
- › Chemical cooled upto electrode cap
- › Light weight welding plier – 10 Kg
- › Cable length – 6 mtr
- › Welding capacity – 3 + 3 + 3mm
- › Ready for HSS , UHSS , BORON etc



VMIR02



Power-1000w(1 lamp)
2000w(2 lamps)

VMIR03



Power-2000w(1 lamp)
2000w(2 lamps)

FEATURES

- › Aluminum upright column reduces the weight of whole machine
- › **Philips or power 21 inch short-wave infrared quartz halogen lamp**
- › Automatic devices, with electronic timer
- › The angle of lamp panel can be adjusted in the lengthwise and lateral directions
- › Input voltage: **1ph230v 5/10a 50/60hz**
- › Temperature range:**40°C-80°C**
- › Adjustable time setting
- › The low and high temperature automatic switch is specially set due to the very quick heating speed of halogen lamp panel
- › Super-low and wide chassis can be applied to the low-chassis automobile and widthwise pass through tire

TECHNICAL DATA	VMIR02	VMIR03
Power supply	230V AC / 50 H	230V AC / 50 H
Rated power	2000W	3000W
Height adjust	0.2-2.1m	0.2-2.1m
Work current	8.3A	13.6A
Output temperature	40-80°C	40-80°C
Time adjust	0.1-30min	0.1-30min
Working distance	0.5-0.7m	0.5-0.7m
Color	Green or yellow	Green or yellow

ALLIED PRODUCTS



Paint Gun



Polisher Stanley



Sander



small



Medium

Hand Blocks



Large



Plastic Repair Kit



Model : Brazing



Windshield Cutting Kit



Windshield Joint - Cutting Kit



Suction Cup Set With Strap

ALLIED PRODUCTS



Hydraulic Body Repair Kit
10 Ton (Premium)



Go Jack



Hammer and Dolly Set



Sliding Hammer Set



Vice Grip Plier Set



Trestle



Windscreen Stand



Bumper Repair Stand



Safety Goggles



Grinding Helmet



**Auto Darkening
Welding Helmet**

ALLIED PRODUCTS



Air Body Saw



Sealant Gun



Angle Grinder



Drilling Machine



Belt Sander



Vertical Sander



Polisher



Orbital Sander



Rolac Sander



KDC ENTERPRISE

www.kdcenterprise.in
www.kdcenterprise.co.in

+91 22 4010 2699 | +91 9967 015 305 | +91 9677 662 033
Customer Care : +91 7738 600 222

info@kdcenterprise.in | support@kdcenterprise.in
kdcenterprise15@gmail.com

Head Office : Office No 6, Building No 11, Vijas Vilas, Vijay
Garden Road, Kavesar, Anand Nagar, G B Road, Thane (West),
Maharashtra - 400615